



MADE IN
manuli®

OIL & GAS

drilling hoses & services

www.fluiconnecto.com

fluiconnecto®
— by *manuli®* —

WHO WE ARE



MISSION

Fluiconnecto by Manuli is a leading international service organization focused on high pressure hoses and fluid connectors providing products and application engineering knowledge, as well as maintenance services, to all market segments through a global network tailored to local conditions.

Fluiconnecto's services are made available at the customer's doorstep on 5 continents, through an ever-growing network of Hydroshops, on-site Workshops and Service on-site Vans.

FLUICONNECTO IN BRIEF



over
1300
Employees



over
140
Hydroshops




over
110
On-site Workshops



over
35
Service on-site Vans

DRILLING HOSE ASSEMBLY UNITS



Fluiconnecto will produce your API 7K certified hoses in strategically located assembly units to give you shorter lead times.

READ MORE AT FLUICONNECTO.COM



Fluiconnecto is part of the **Manuli Rubber Industries** group, which includes Manuli Hydraulics: a leading international manufacturer of hydraulic hoses and connectors.

With over 80 years of experience, Manuli Hydraulics is at the forefront of technology with its R&D departments located in Italy, Poland, France, UK, China and India.

Manuli Hydraulics, thanks to its experience in hydraulics, has developed a specific product range for land and off-shore drilling.

READ MORE AT MANULI-HYDRAULICS.COM



REFERENCES

Trusted by
INDUSTRY LEADERS

LAND & OFF-SHORE DRILLING

- Schlumberger
- Halliburton
- Huisman
- Jurong Shipyard
- Aker Solutions
- Leighton Offshore
- Lukoil
- Keppel
- Seadrill
- Ensco
- Maersk Drilling
- Smit

- Weatherford
- Drillmec
- Tatneft
- PetroVietnam
- Sembcorp Marine
- Noble
- YPF
- Frigstad
- Bumiarmada
- Pergemine
- Triumph Drilling
- Remote Oilfield Services

- Surgutneftegas
- Beaver
- Frank's International
- PPL Shipyard
- Sparrow Offshore
- Petreven
- Aban
- Honghua Offshore
- Vantage Drilling Company
- Savanna Drilling
- FDS Design Solutions Inc.

WHAT DO WE DO

-flui-ID

HOSE MANAGEMENT PROGRAM

=

quality

PRODUCTS

+

SERVICES

provided by

Certified Hose Inspectors

1

MINIMISE DOWNTIME

2

INCREASE SAFETY

3

OPTIMISE PRODUCT SUPPLY





























4

FORECAST REPAIR COSTS

5

MINIMISE RISKS
ENVIRONMENTAL & HUMAN

PRODUCTS

Application	Name	Rig type	Diameter	Pressure	Norms
DRILLING APPLICATIONS					
rotary/vibrator	GOLDENDRILL	 LAND  OFF-SHORE	2" - 4"	3000/4000 / 5000/7500 PSI	API-7K-FSL 1, ISO 14693, MSHA
choke & kill	CHOKE & KILL	 LAND  OFF-SHORE	2" - 4"	5000/10000/ / 15000 PSI	API-16C, ISO9001, ISO/TS29001, API Q1
blow out preventer (land & off-shore)	GOLDENGUARD GOLDENARMOUR	 LAND  OFF-SHORE	3/8" - 2"	3000/5000 PSI	API-16D ISO 8030, ISO 18752, ISO 3862, SAE J517 100R13, MSHA, DNV
cementing	GOLDENCEMENT	 LAND  OFF-SHORE	2"	10000 PSI	API-7K-FSL 0, temp range II, ISO 14693, MSHA
slickline/wireline, grease injection	GOLDENDRILL/H	 LAND  OFF-SHORE	1/2"	15220 PSI	MSHA
motion compensator	GOLDENWAVE	 OFF-SHORE	2" - 3"	3040 PSI	ISO 18752-B, SAE J517, MSHA
GENERAL OIL HYDRAULICS					
high pressure hydraulic lines	ROCKMASTER/2SC	 LAND  OFF-SHORE	3/16" - 3"	650- 6090 PSI	EN 857 2SC, ISO 11237-1 2SC, SAE 100R 16S, MSHA, PNG-32010, PNG 32000, GOST-R, LOBA, SAE 100 R17, RINA, MA, FRAS
high pressure hydraulic lines	DIAMONDSPIR/21 DIAMONDSPIR/35	 LAND  OFF-SHORE	2 1/2" - 3"	3040 - 5070 PSI	ISO 18752 grade C, MSHA FRAS, GOST-R
high temperature return lines	XTRAFLOW/HT	 LAND  OFF-SHORE	2 1/2" - 3 1/2"	500 PSI	MSHA
TRANSFER					
transfer of liquid and solid substances	industrial hoses	 LAND  OFF-SHORE	up to 4"	low pressure	-
high temperature air/compressor/oil	EQUATOR 2	 LAND  OFF-SHORE	1/4" - 2"	1300 - 5800 PSI	EN 853 2SN - SAE 100 R2AT - ISO 1436-1 2SN/R2AT, ABS, BV, DNV, GL, GOST-R, LR, MSHA
bulk material transfer	XTRAFLOW/4WS	 OFF-SHORE	2 1/2" - 4"	500 PSI - 2030 PSI	GOST-R, MSHA
bulk material transfer	XTRAFLOW/2WB	 OFF-SHORE	2 1/2" - 3 1/2"	500 - 1520 PSI	EN 857-2SC, ISO 11237-2SC, MSHA
CONNECTORS					
drilling connectors	<p>A range of beveled to weld fittings with integrated inserts and ferrules is available to suit any termination ends. All welds are carried out and controlled by qualified engineers according to ASME IX procedures. Termination ends comply with: API 16A, API 6A, API 5B, API 5L, API 16BX, API 6B and API 6BX. Fittings designs, qualifications and control methods comply with: API 7K, API 7L, ASME IX, ASTM and E709</p> <div></div>				
quick couplings	<p>A range of specialised quick couplings (MQS-BOP & MQS-FS) for Blow out Preventer hoses which are fire tested to meet the requirements of API 16D.</p>				
hydraulic connectors	<p>A wide range of connectors & adaptors for high pressure hydraulic fluid & industrial applications.</p>				
ACCESSORIES					
accessories	<p>The drilling offer is completed with accessories including lift eyes, safety clamps, Joint x Armour, metric and imperial metal sleeves.</p>				

SERVICES

- 
- ☑ *Hose & Tube Integrity Management*
 - ☑ *Hose Inspection, Maintenance & Revalidation (IMR)*
 - ☑ *flui-ID Hose Management Program*
 - ☑ *Hydraulic Hose Static Pressure Testing*
 - ☑ *Tube Manufacture & Pressure Testing*
 - ☑ *On-site Installation and Commissioning*
 - ☑ *Hydraulic Service, Maintenance, Repairs & Overhaul*

We keep it

fluiconnecto
by **manuli**

RUNNING

RELY
ON US

Manuli Fluiconnecto Holding B.V.

Beurs - World Trade Center, Beursplein 37, PO Box 30116
3001 DC Rotterdam, The Netherlands

Tel: +31 (0)10 2053153

www.fluiconnecto.com

fluiconnecto
by **manuli**

www.fluiconnecto.com

manuli
HYDRAULICS

www.manuli-hydraulics.com

manuli
RUBBER INDUSTRIES

www.manulirubber.com